General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.

- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.

- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.

- This document is paginated as submitted by the original source.

- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

NASA CR-
141826



SPACE SHUTTLE

AEROTHERMODYNAMIC DATA REPORT

JOHNSON SPACE CENTER

HOUSTON, TEXAS

DATA MANagement services

SPACE DIVISION CHRYSLER CORPORATION

November, 1975

DMS-DR-2165
NASA CR-141,826

VOLUME 4 OF 5

RESULTS OF AN INVESTIGATION OF THE 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK MSFC MODEL 460 IN THE NASA/MSFC 14 X 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)

by

P. E. Ramsey, MSFC
G. W. Winkler, NSI

Prepared under NASA Contract Number NAS9-13247

by

Data Management Services
Chrysler Corporation Space Division
New Orleans, La. 70189

for

Engineering Analysis Division

Johnson Space Center
National Aeronautics and Space Administration
Houston, Texas

WIND TUNNEL TEST SPECIFICS:

Test Number:	MSFC TWT 596
NASA Series Number:	TA2F
Model Number:	460
Test Dates:	July 20-23, 1974
Occupancy Hours:	104

FACILITY COORDINATOR:

C. D. Andrews
Marshall Space Flight Center
Mail Code ED32
Huntsville, Ala. 35801

Phone: (205) 453-2519

PROJECT ENGINEERS:

Paul Ramsey
Marshall Space Flight Center
Mail Code ED32
Huntsville, Ala. 35801

Phone: (205) 453-2519

G. W. Winkler
Northrop Services, Inc.
6025 Technology Drive
Huntsville, Ala. 35807

Phone: (205) 837-0580

DATA MANAGEMENT SERVICES:

Prepared by: Liaison--V. W. Sparks
Operations--G. W. Klug, Maurice Moser, Jr.

Reviewed by: D. E. Poucher

Approved: J. L. Glynn, Manager
Data Operations

Concurrence: N. D. Kemp, Manager
Data Management Services

Chrysler Corporation Space Division assumes no responsibility for the data presented other than display characteristics.

RESULTS OF AN INVESTIGATION OF AN 0.003-SCALE SPACE SHUTTLE EXTERNAL TANK MSFC MODEL 460 IN THE NASA/MSFC 14 x 14-INCH TRISONIC WIND TUNNEL TO DETERMINE STATIC PRESSURE DISTRIBUTIONS DURING REENTRY (TA2F)

by

P. E. Ramsey, MSFC, and G. W. Winkler, NSI

ABSTRACT

Objective of the test was to obtain static pressure distributions for the ET at reentry conditions. Basic configuration of the model was the MCR 0200 ET modified to include a rectangular crossbar at the aft ET/orbiter attach point. Mach numbers were 1.96, 3.48, and 4.96. Reynolds number per foot at these Mach numbers were 6.95 million, 6.42 million, and 4.95 million, respectively. Angle of attack range was -8 to 100 degrees and roll angle was 0 to 315 degrees. Occupancy hours were 104.

TABLE OF CONTENTS

TABLE OF CONTENTS (Concluded)

INDEX OF MODEL FIGURES

INDEX OF DATA FIGURES

INDEX OF DATA FIGURES (Concluded)

SCHEDULE OF COEFFICIENTS PLOTTED:

A) CP vs. X/LB

B) CP vs. THETA

C) DCNM/D(X/LB) vs. X/LB

D) DCYM/D(X/LB) vs. X/LB

E) CNM vs. ALPHA
CLMM
CYM
CYNM

NOMENCLATURE

Symbol	Plot Symbol	Definition	Units
a		speed of sound	m/sec, ft/sec
A_b		base area; cross-sectional area of the cylindrical ET	$in.^2$
b_{ref}	BREF	reference span; diameter of the cylindrical section of the model	in.
ET		external tank	
FA		axial force (AF), positive in the negative direction of x_m	lb
F_N		normal force (NF), positive in the negative direction of z_m	lb
F_Y		side force (SF), positive in the positive direction of y_m	lb
ℓ_B	LBODY	length of the ET	in.
ℓ_{ref}	LREF	reference length; diameter of the cylindrical section of the model	in.
M	MACH	Mach number; V/a	
MRP	MRP	moment reference point located in the x_m, y_m, z_m axes by XMRP, YMRP, and ZMRP (See Data Reduction section)	
M_x		rolling moment (RM); a moment about the x_m axis (a positive rolling moment tends to rotate the positive y_m axis toward the positive z_m axis)	in.-lb
M_y		pitching moment (PM); a moment about the y_m axis (a positive pitching moment tends to rotate the positive z_m axis toward the positive x_m axis)	in.-lb
c g		center of gravity	

NOMENCLATURE (Continued)

Symbol	Plot Symbol	Definition	Units
M_Z		yawing moment (YM); a moment about the z_m axis (a positive yawing moment tends to rotate the positive x_m axis toward the positive y_m axis)	in.-lb
p_∞	P	pressure, freestream	psi
p_o	PO	stagnation pressure	psi
q_∞	Q(PSI)	free stream dynamic pressure	psi
S_{ref}	SREF	reference area; cross-sectional area of the cylindrical section of the model	$in.^2$
RN/L	RN/L	unit Reynolds number	per m, per ft
SRB		solid rocket booster	
V		velocity	m/sec, ft/sec
x_m, y_m, z_m		missile axis system (see Data Reduction section)	
X		distance from nose of ET model in the negative x_m direction	in.
X_T, Y_T, Z_T		model stations; (see figure 2a)	in.
X_{CP}/ℓ_B	XCP/L	longitudinal position of the center of pressure, expressed as a fraction of the ET length, measured from the ET nose	
$\bar{c}$		aerodynamic chord	m,ft

$$\frac{X_{CP}}{\ell_B} = \frac{XMRP}{\ell_B} - \frac{C_{m_m}}{C_{N_m}} \frac{\ell_{ref}}{\ell_B}$$

COEFFICIENTS

C_{A_m}	CA	axial force coefficient; $F_A/q\ S_{ref}$

NOMENCLATURE (Continued)

Symbol	Plot Symbol	Definition	Units
$C_{A_{b_m}}$	CAB	base axial force coefficient; $(p_\infty - p_b)\ A_B/q\ S_{ref}$	
C_{A_f}	CAF	forebody axial force coefficient; $C_{A_m} - C_{A_{b_m}}$	
C_{ℓ_m}	CBL	rolling moment coefficient; $M_X/q\ S_{ref}\ b_{ref}$	
C_{m_m}	CLMM	pitching moment coefficient; $M_y/q\ S_{ref}\ \ell_{ref}$	
C_{N_m}	CNM	normal force coefficient; $F_N/q\ S_{ref}$	
C_{n_m}	CYNM	yawing moment coefficient; $M_Z/q\ S_{ref}\ b_{ref}$	
C_p	CP	pressure coefficient; $(p- p_\infty)/q$	
C_{Y_m}	CYM	side force coefficient; $F_y/q\ S_{ref}$	
C_{N_m}'	DCN/DX	local normal force coefficient; $\partial C_N/\partial(X/D)$	
C_{Y_m}'	DCY/DX	local side force coefficient; $\partial C_Y/\partial(X/D)$	
SYMBOLS			
α	ALPHA	angle of attack	deg.
β	BETA	angle of sideslip	deg.
ϕ	PHI	angle of roll	deg.
ψ	PSI	angle of yaw	deg.

NOMENCLATURE (Concluded)

Symbol	Plot Symbol	Definition	Units
θ	THETA	circumferential location	deg.
ρ		mass density	kg/m^3, $slugs/ft^3$
ref		reference conditions	
∞		free stream conditions	
b		base	
c		cavity	
t		total conditions	
B		model body	
T		external tank	
m		missile axis system	
l		local	
s		static conditions	
	MOUNT	1.0 indicates tail mounted (T_1) 2.0 indicates side mounted (T_2)	

INTRODUCTION

After the solid rocket boosters and the external tank separate from the orbiter, the ET will reenter the earth's atmosphere at high supersonic or even hypersonic Mach numbers. This test is the second of two tests conducted in the NASA-MSFC 14-inch Trisonic Wind Tunnel to obtain force and pressure data on the 324-inch diameter ET at typical reentry angles of attack.

Model (MSFC No. 460) configuration is a 0.003-scale representation of the ET with fuel lines and forward and aft SRB and orbiter attach hardware. Also included is the ET/orbiter rectangular crossbar attach structure.

Pressure taps (192 total) were used to obtain data for evaluating the load distribution on the ET. Further evaluation of the ET aerodynamic characteristics can be made by comparing data from this test with data from TWT 583 (reference 4).

Pressure data were taken at three Mach numbers: 1.96, 3.48, and 4.96. Angle of attack range was -8 to 100 degrees, which was obtained by using two ET model mountings. Range -8 to 30 degrees used a tail-mounted model (T_1) for each of eight roll positions, 0 to 315 degrees. This model had attach structure and protuberances. For the range of 51 to 100 degrees, a side-mounted model (T_2) at 0° roll position was used.

MODEL DESCRIPTION

The model is a 0.003-scale of the MCR 0200 space shuttle ET configuration modified to include a crossbar at the aft orbiter/ET attach points. General arrangement of the model is shown in figure 2a. The model is designated MSFC #460, and it consists of two ET models (one tail-mounted and one side-mounted); protuberances simulating fuel lines, attachment hardware, etc.; and model adapters which allowed the tanks to be supported in the tunnel on RI stings #1 and #3. The models were built by NASA to conform to the configuration specified by Rockwell International drawing VL78-000041B (Reference Drawing 6) and Martin-Marietta memo SA-A-74-9 (Reference Report 2).

Both ET models were made of stainless steel and contained 192 pressure orifices each. From these orifices, stainless steel and annealed 0.032-inch OD tubing was routed out the base (or the side) of the model. Four feet of 0.050-inch OD tubing was brazed onto each of the 0.032-inch tubes as close to the exit cavity as possible.

When placed in the tunnel test section, the tubing bundle from the model was secured along the sting and routed down the sector through the tunnel floor. At this point, Tygon tubing was used to connect the steel tubing to quick disconnects, which were connected to the scanivalves. Installation photographs for the tail mounted (T_1) and side mounted (T_2) models are in figures 3a and 3b, respectively.

Model stations are sometimes used to describe locations of various components of the model. When used, these stations will be given in

inches model scale and the zero reference points will be same as in Rockwell International drawing VL72-000088"D" (Reference Drawing 2). Zero reference points are shown in figure 2a.

CONFIGURATIONS INVESTIGATED

Two ET configurations investigated are defined as follows:

T_1--MCR 0200 tail-mounted, modified to include crossbar configuration with protuberances.

T_2--MCR 0200 side-mounted, "clean" configuration (without protuberances).

Each of the configurations consists of the following model components:

T_1--T_{12} AT_5 AT_6 AT_7 AT_8 AT_9 PT_1 PT_2 PT_3 FL_1 FL_2 FR_6

T_2--T_{12}

Brief descriptions of each component are below. Refer to table III for dimensional data.

T_{12}	Baseline 324-inch diameter external oxygen-hydrogen tank
AT_5	Forward orbiter/ET attach structure
AT_6	Left rear orbiter/ET attach structure
AT_7	Right rear orbiter/ET attach structure
AT_8	Forward SRB/ET attach structure
AT_9	Aft SRB/ET attach structure
PT_1	LOX vent line fairing
PT_2	LOX feed line
PT_3	LH_2 feed line
FL_1	LOX feed line
FL_2	LH_2 feed line
FR_6	Aft ET/orbiter crossbar

TEST FACILITY DESCRIPTION

The Marshall Space Flight Center 14" x 14" Trisonic Wind Tunnel is an intermittent blowdown tunnel which operates by high pressure air flowing from storage to either vacuum or atmospheric conditions. A Mach number range from .2 to 5.85 is covered by utilizing two interchangeable test sections. The transonic section permits testing at Mach 0.20 through 2.50, and the supersonic section permits testing at Mach 2.74 through 5.85. Mach numbers between .2 and .9 are obtained by using a controllable diffuser. The range from .95 to 1.3 is achieved through the use of plenum suction and perforated walls. Mach numbers of 1.44, 1.93 and 2.50 are produced by interchangeable sets of fixed contour nozzle blocks. Above Mach 2.50 a set of fixed contour nozzle blocks is tilted and translated automatically to produce any desired Mach number in .25 increments.

Air is supplied to a 6000 cubic foot storage tank at approximately -40°F dew point and 500 psi. The compressor is a three-stage reciprocating unit driven by a 1500 hp motor.

The tunnel flow is established and controlled with a servo actuated gate valve. The controlled air flows through the valve diffuser into the stilling chamber and heat exchanger where the air temperature can be controlled from ambient to approximately 180°F. The air then passes through the test section which contains the nozzle blocks and test region.

Downstream of the test section is a hydraulically controlled pitch sector that provides a total angle of attack range of 20° ($\pm$10°). Sting offsets are available for obtaining various maximum angles of attack up to 95°.

TEST FACILITY DESCRIPTION (Concluded)

The diffuser section has movable floor and ceiling panels which are the primary means of controlling the subsonic Mach numbers and permit more efficient running supersonically. The sector assembly and supersonic diffuser telescope into the subsonic diffuser to allow easy access to the model and test section.

Tunnel flow is exhausted through an acoustically damped tower to atmosphere or into the vacuum field of 42,000 cubic feet. The vacuum tanks are evacuated by vacuum pumps driven by a motor of 500 hp.

Data are recorded by a solid-state digital data acquisition system. The digital data are transferred to punched cards during the run to be reduced later by a computer to proper coefficient form.

TEST PROCEDURE

First part of the test was conducted using a side-mounted, "clean" configuration (T_2 without protuberances). Since it was a "clean" configuration, the roll angle was considered to always be 0 degrees. Angle of attack range was from 51 to 100 degrees in increments of 3 degrees. Data were obtained at Mach numbers of 1.96, 3.48, and 4.96.

Second part of the test consisted of using a tail-mounted model with attach hardware, fuel lines, and electrical tunnel. Angle of attack range was from -8 to 30 degrees in increments of 4 degrees. Data were obtained at eight roll positions, 0 to 315 degrees in 45-degree increments. All orifices and tubing were checked for leakage at the beginning of the test and after each roll position change. A leak check after rolling the model insured that correct measurements were being received from the orifices. Response time for the scanivalve function was within the one-second intervals allowed each scanivalve.

List of average test conditions is in table I. Dataset run number collation summary is in table II.

DATA REDUCTION

Location of each pressure orifice and the numbering system are presented in tables IV and V. Also special identification of blocked or inoperative pressure orifices is made for both tail-mounted and side-mounted models in these tables. Locations of these orifices are shown in figure 2b.

Sting deflections were measured outside the tunnel by using check weights. Sting deflections versus load curve for the pressure test (TWT 596) was found to be the same, within allowable accuracy, as that of the force test (TWT 583). The same ET configuration and only slightly different support hardware were used in both force and pressure tests. Increments of α due to sting bending in the force test were added to the nominal α's for the pressure test. This gave reasonably accurate values of angle of attack, accuracy comparable to force test, when the pressure model was tested at the same Mach number and tunnel total pressure as the force model.

Pressure data were reduced to coefficient form and are tabulated along with wind tunnel parameters, configuration, and run number in the appendix. Plots are presented for both longitudinal and circumferential pressure distributions (C_p vs X/ℓ_B and C_p vs θ). These plots are shown for each Mach number, angle of attack, and roll position at which tests were conducted. In addition, the pressure coefficients were integrated to obtain the following missile axis force and moment coefficients:

$C_{N_m} = F_N/q\ S_{ref}$		normal force coefficient
$C_{Y_m} = F_Y/q\ S_{ref}$		side force coefficient
$C_{m_m} = M_Y/q\ S_{ref}\ \ell_{ref}$		pitching moment coefficient
$C_{n_m} = M_Z/q\ S_{ref}\ b_{ref}$		yawing moment coefficient
$C_{N_m}' = \partial C_N/\partial(X/D)$		local normal force coefficient
$C_{Y_m}' = \partial C_Y/\partial(X/D)$		local side force coefficient

Force and moment coefficients obtained from the integration of pressures are for comparison with the results from the force test.

Model reference dimensions used in the data reduction are presented in table VI. The axis system diagram is presented in figure 1. The missile axis system (x_m, y_m, z_m) is a non-rolling body axis system that is frequently used in wind tunnel tests and studies of missile flight dynamics. It is a system of axes that rotates with a missile or wind tunnel model through angles of sideslip and angles of attack but never through angles of roll; i.e., it never rotates about the missile or model longitudinal axis. The orientation of the missile axis coefficients is defined in figure 1. The missile axis system is identical with the body axis system at zero roll angle.

Moment reference point (MRP) for the 0.003-scale model is taken to be at the dry weight center of gravity of the ET. For the full-scale ET, the center of gravity is located at X_T = 1395.4 inches. Thus, the MRP for the 0.003-scale ET model is 3.259 inches from the model nose, on the centerline (figure 2a).

REFERENCES

1. NASA TMX-53185, "The George C. Marshall Space Flight Center's 14 x 14 Inch Trisonic Wind Tunnel Technical Handbook," Simon, Erwin; December 1964.

2. SA-A-74-9, "Space Shuttle External Tank Entry Force and Moment Wind Tunnel Test Requirements," Michna, D. J., Michoud Operations, Martin Marietta Corporation, February 1974.

3. NSI-M-9230-74-270, "A Pre-test Report for MSFC TWT 596, An Investigation to Determine the Static Pressure Distributions During Reentry of a 0.003-scale Modified MCR 200 Space Shuttle External Tank Model in the NASA-MSFC 14 x 14-Inch Trisonic Wind Tunnel," Robertson, M, K. and Winkler, G. W., April 1974.

4. DMS-DR-2145, NASA CR-134,420, "Static Stability Characteristics of the Space Shuttle External Tank (MSFC Model 458) During Reentry in the MSFC 14-inch TWT (TA1F)," by Ramsey, Paul E., Robertson, Michael K., and Winkler, Gary W. October 1974.

REFERENCE DRAWINGS

1. VL72-000106, 8-6-73; SRB to ET Aft Attach, Approved Link Concept, Shuttle Study; Rockwell International.

2. VL72-000088 "D", 8-3-73; Shuttle Configuration Control, MCR 0200 Baseline Rev. III, Dated 7-2-73; Rockwell International.

3. VL78-000031 "A", 6-29-73; Thermal Protection-External Tank MCR 0200 Baseline Dated 4-11-73; Rockwell International.

4. VL77-000051 "A", 9-10-73; SRB Single PT.-Fwd Thrust Fitting (MCR 0190 Rev. 3 Baseline 8-13-73); Rockwell International.

5. SS-A011176 (Wind Tunnel Model Group); Details - .015 Scale EOHT Attachments (140 A/B) (67-OTS) 11-20-73; Rockwell International.

6. VL78-000041 "B", 5-30-73; External Tank Configuration Control MCR 0200 Revision 1 Dated 5-16-73; Rockwell International.

Table I.

TEST: MSFC TWT 596 DATE: Aug 1974

TEST CONDITIONS

MACH NUMBER	REYNOLDS NUMBER (per foot)	DYNAMIC PRESSURE (pounds/sq.inch)	STAGNATION TEMPERATURE (degrees Fahrenheit)	STAGNATION PRESSURE (pounds/sq.inch)
1.96	6.95×10^6	10.2	104	28.0
3.48	6.42×10^6	6.9	143	60.0
4.96	4.95×10^6	3.1	143	90.0

BALANCE UTILIZED: None - Pressure Test; 50 PSIA Transducers

	CAPACITY:	ACCURACY:	COEFFICIENT TOLERANCE:
NF			
SF			
AF			
PM			
RM			
YM			

COMMENTS: Transducer capacity of 50 psia, accuracy of $\pm$.25 psi, and coefficient tolerance of $\pm$.025 @ q = 10 psi.

MSFC - Form 263-1 (Rev. April 1973)

TABLE II.

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: Jul 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF-SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES φ	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A001	T, (TAIL MOUNTED	-8	0	0	TAIL	0	3	86	140	139	
002	E.T. WITH	-4					3	87	137	138	
003	PROTUBERANCES)	0					5	88	136	135	
004		4					3	89	133	134	
005		8		↓			5	90	132	131	
006		12		20			3	85	141	142	
007		16					3	84	144	143	
008		20					3	83	145	146	
009		24					3	82	148	147	
010		28		↓		↓	3	81	149	150	
011		-8		0		90	3	80	170	169	
012		-4					3	79	167	168	
013		0					3	78	166	165	
014		4					3	77	163	164	
015		8		↓			3	76	162	161	
016		12		20			3	75	159	160	
017		16					3	74	158	157	
R1A 018		20					3	73	155	156	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

C,B

COEFFICENTS — IDVAR (1) — IDVAR (2) — NDV

α OR β SCHEDULES

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: July 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF-SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES Φ	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A 019	T, (TAIL-MOUNTED	24	0	20	TAIL	90	3	72	154	153	
020	ET WITH	28		↓		↓	3	71	151	152	
021	PROTUBERANCES)	-8		0		135	2		179	180	
022		-4					2		178	177	
023		0					2		175	176	
024		4					2		173	172	
025		8		↓			2		174	171	
026		12		20			2		190	189	
027		16					2		187	188	
028		20					2		186	185	
029		24					2		183	184	
030		28		↓		↓	2		182	181	
031		-8		0		180	3	61	210	209	
032		-4					3	62	207	208	
033		0					3	63	206	205	
034		4					3	64	203	204	
035		8		↓			3	65	202	201	
R1A 036	↓	12	↓	20	↓	↓	3	66	199	200	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP COEFFICENTS IDVAR (1) IDVAR (2) NDV

α OR β SCHEDULES

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: July 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF-SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES Φ	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A 037	T, (TAIL-MOUNTED	16	0	20	TAIL	180	3	67	198	197	
038	E.T. WITH	20					3	68	195	196	
039	PROTUBERANCES)	24					3	69	194	193	
040		28		↓		↓	3	70	191	192	
041		-8		0		225	2		255	126	
042		-4					2		254	127	
043		0					2		253	128	
044		4					2		252	129	
045		8		↓			2		251	130	
046		12		20			2		260	121	
047		16					2		259	122	
048		20					2		258	123	
049		24					2		257	124	
050		28		↓		↓	2		256	125	
051		-8		0		270	3	96	101	102	
052		-4					3	97	104	103	
↓ 053		0					3	98	105	106	
R1A 054	↓	4	↓	↓	↓	↓	3	99	108	107	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP COEFFICENTS IDVAR (1) IDVAR (2) NDV

α OR β SCHEDULES

MSFC - Form 360-3 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE:

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF-SET	PARAMETERS/VALUES ϕ	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A 055	T, (TAIL-MOUNTED	8	0	TAIL	270	3	100	109	110	
056	ET WITH	12				3	95	120	119	
057	PROTUBERANCES)	16				3	94	117	118	
058		20				3	93	116	115	
059		24				3	92	113	114	
R1A060		28				3	91	112	111	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP

COEFFICENTS IDVAR (1) IDVAR (2) NDV

α OR β SCHEDULES

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: July 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES ϕ	PARAMETERS/VALUES STING COMB	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A 061	T_2 (SIDE-MOUNTED	51	0	60	SIDE	0	C	3	60	1/1	2	
062	ET WITHOUT	54	↑					3	59	4	3	
063	PROTUBERANCES)	57						3	58	5	6	
064		60						3	57	8	7	
065		63						3	56	9	10	
066		66						3	55	12	11	
067		69		↓			↓	3	54	13	14	
068		70		80			D	3	53	16/1	15	
069		72						3	52	17	18	
070		75						3	51	20	19	
071		78		↓			↓	3	50	21	22	
072		80		90			E	3	49	24	23	
073		82						3	48	25	26	
074		85						3	47	28	27	
075		88						3	46	29	30	
076		90						3	45	32	31	
↓ 077		92						3	44	33	34	
R1A 078	↓	95	↓	↓	↓	↓	↓	3	43	36	35	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP

COEFFICENTS

IDVAR (1) IDVAR (2) NDV

α OR β SCHEDULES

α C: 50° → 70°

α D: 70° → 90°

α E: 80° → 100°

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: [illegible] 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. PARAMETERS/VALUES α	β	OFF SET	MT.	ϕ	STING COMB	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A079	T_2 (SIDE-MOUNTED	98	0	90	SIDE	0	E	3	42	37	38	
R1A080	ET WITHOUT	100	0	90	SIDE	0	E	3	41	40	39	
	PROTUBERANCES)											

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP COEFFICENTS IDVAR (1) IDVAR (2) NDV

α OR β SCHEDULES

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Continued)

TEST: MSFC TWT 596

DATA SET/RUN NUMBER COLLATION SUMMARY

DATE:

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES Ø	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A 081	T, (TAIL-MOUNTED	-8	0	0	TAIL	45	2		219	220	
082	ET WITH	-4					2		218	217	
083	PROTUBERANCES)	0					2		215	216	
084		4					2		214	213	
085		8		↓			2		211	212	
086		12		20			2		230	229	
087		16					2		227	228	
088		20					2		226	225	
089		24					2		223	224	
090		28		↓		↓	2		222	221	
091		-8		0		315	2		250	249	
092		-4					2		247	248	
093		0					2		246	245	
094		4					2		243	244	
095		8		↓			2		242	241	
096		12		20			2		239	240	
097		16					2		238	237	
R1A 098	↓	20	↓	↓	↓	↓	2		235	236	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP

α OR β SCHEDULES

COEFFICENTS

IDVAR (1) IDVAR (2) NDV

MSFC - Form 263-2 (Rev. May 1973)

TABLE II. (Concluded)

TEST: MSFC TWT 596 — DATA SET/RUN NUMBER COLLATION SUMMARY — DATE: July 1974

DATA SET IDENTIFIER	CONFIGURATION	SCHD. α	SCHD. β	PARAMETERS/VALUES OFF SET	PARAMETERS/VALUES MT.	PARAMETERS/VALUES φ	NO. OF RUNS	MACH NUMBERS (OR ALTERNATE INDEPENDENT VARIABLE) 1.96	3.48	4.96	TEST RUN NUMBERS
R1A099		24	0	20	TAIL	315	2		234	233	
R1A100		28	0	20	TAIL	315	2		231	232	

1 7 13 19 25 31 37 43 49 55 61 67 75 76

CP

COEFFICENTS — IDVAR (1) — IDVAR (2) — NDV

α OR β SCHEDULES

MSFC - Form 263-2 (Rev. May 1973)

TABLE III. MODEL DIMENSIONAL DATA

MODEL COMPONENT: EXTERNAL TANK - T_{12}

GENERAL DESCRIPTION: EXTERNAL OXYGEN - HYDROGEN TANK WITH OGIVE NOSE AND SEMI-ELIPTICAL TAIL. BEGINNING AT MODEL TANK STATION 0.927 AND ENDING AT STATION 6.522

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000041B

DIMENSIONS:	THEORETICAL FULL-SCALE	THEORETICAL MODEL SCALE
Length	1865 in.	5.595 in.
Max. Width	324 in.	0.972 in.
Fineness Ratio	5.756 in.	5.756 in.
Max. Cross-Sectional	572.555 ft^2	0.742 $in.^2$
Base	572.555 ft^2	0.742 $in.^2$
WL OF TANK CENTERLINE	400 in.	1.200 in.

TABLE III. (Continued)

MODEL COMPONENT: ATTACH STRUCTURE - AT_5

GENERAL DESCRIPTION: FORWARD ORBITER/ET ATTACH STRUCTURE

(2 MEMBERS)

MODEL SCALE: 0.003

REFERENCE DRAWING: VL72-000088D

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: ATTACH STRUCTURE - AT_6

GENERAL DESCRIPTION: LEFT REAR ORBITER/ET ATTACH STRUCTURE (2 MEMBERS)

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000050

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: ATTACH STRUCTURE - AT_7

GENERAL DESCRIPTION: RIGHT REAR ORBITER/ET ATTACH STRUCTURE (3 MEMBERS)

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000050

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: ATTACH STRUCTURE - AT_8

GENERAL DESCRIPTION: FORWARD SRB/ET ATTACH STRUCTURE (ET PORTION TESTED ONLY)

MODEL SCALE: 0.003

REFERENCE DRAWING: VL77-000051A

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: ATTACH STRUCTURE - AT_9

GENERAL DESCRIPTION: AFT SRB/ET ATTACH STRUCTURE (3 MEMBERS) (ET PORTION TESTED ONLY)

MODEL SCALE: 0.003

REFERENCE DRAWING: VL72-000106

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: LOX VENT LINE FAIRING - PT_1

GENERAL DESCRIPTION: VENT LINE ALONG UPPER RIGHT SIDE OF ET OGIVE NOSE BEGINNING AT MODEL STATIONS X_T = 0.927, Y_T = 0, AND Z_T = 1.2; TERMINATING AT X_T = 2.841, Y_T = 0.162, Z_T = 1.658

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000031A

DIMENSIONS:	THEORETICAL FULL-SCALE	THEORETICAL MODEL SCALE
Length	638 in.	1.914 in.
Max. Width	17.7 in.	0.053 in.
Max. Depth	9.3 in.	0.028 in.
Radial Position	19 1/2°	19 1/2°

TABLE III. (Continued)

MODEL COMPONENT: LOX FEED LINE - PT_2

GENERAL DESCRIPTION: LONGITUDINAL FUEL LINE ALONG UPPER RIGHT SIDE OF ET BEGINNING AT MODEL STATIONS X_T = 2.841, $-Y_T$ = 0.194, AND Z_T = 1.645; TERMINATING AT X_T = 6.116, $-Y_T$ = 0.194, AND Z_T = 1.645

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000031A

DIMENSIONS:	THEORETICAL FULL-SCALE	MODEL SCALE
Length	1092 in.	3.275 in.
Max. Width	30.7 in.	0.092 in.
Max. Height	28 in.	0.084 in.
Radial Position	23 1/2°	23 1/2°

TABLE III. (Continued)

MODEL COMPONENT: LH_2 FEED LINE - PT_3

GENERAL DESCRIPTION: LONGITUDINAL FUEL LINE ALONG UPPER LEFT SIDE OF ET

BEGINNING AT MODEL STATIONS X_T = 2.841, Y_T = 0.275, AND Z_T = 1.601

TERMINATING AT STATIONS X_T = 6.116, Y_T = 0.275, AND Z_T = 1.601

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000031A

DIMENSIONS:	THEORETICAL FULL-SCALE	MODEL SCALE
Length	1092 in.	3.275 in.
Max. Width	25.7 in.	0.077 in.
Max. Depth	14.7 in.	0.044 in.
Radial Position	-33°	-33°

TABLE III. (Continued)

MODEL COMPONENT: LOX FEED LINE - FL_1

GENERAL DESCRIPTION: 18-INCH DIAMETER VERTICAL FUEL LINE AT AFT END OF ET ON RIGHT

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000050

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Continued)

MODEL COMPONENT: LH_2 FEED LINE - FL_2

GENERAL DESCRIPTION: 18-INCH DIAMETER VERTICAL FUEL LINE AT AFT END OF ET ON LEFT

MODEL SCALE: 0.003

REFERENCE DRAWING: VL78-000050

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE III. (Concluded)

MODEL COMPONENT: ATTACH STRUCTURE - FR_6

GENERAL DESCRIPTION: AFT ET/ORBITER CROSS MEMBER (CROSS SECTION 11 IN. x 15 IN.)

LOCATED AT ET-STATION 2050.5

MODEL SCALE: 0.003

REFERENCE DRAWING: FIGURE 3, MARTIN MARIETTA MEMO SA-A-74-9

ALL DIMENSIONS IN INCHES MODEL SCALE



TABLE IV. TABULATED DATA PRINT-OUT FORMAT AND CORRELATION BETWEEN TUBE NUMBER, ORIFICE NUMBER, AND ORIFICE LOCATION ON MODEL

*inoperable orifice

SIDE-MOUNTED ET (T_2 CONFIGURATION)

RADIAL LOCATION θ (deg.)	RADIAL ROW NO.	LONG STA. NO.	LONG. STA. X (in.)	X/ℓB											
					0.055	0.108	0.162	0.216	0.322	0.518	0.610	0.735	0.860	0.892	0.923	0.954
					0.305	0.605	0.905	1.205	1.800	2.900	3.410	4.110	4.810	4.985	5.160	5.335
					1	2	3	4	5	6	7	8	9	10	11	12
0	A				1	2	3	4	5	*6	*7	8	9	10	11	12
14	B					13	14	15	16	*17	*18	19	20	21	22	23
24	C												24	25	26	27
45	D				28	29	30	31	32	33	34	35	36	37	38	39
67½	E					40	41	42	43	44	45	46	47	48	49	50
90	F				51	52	53	54	55	56	57	58	59	60	61	62
112½	G					63	64	65	66	67	68	69	70	71	72	73
135	H				74	75	76	77	78	79	80	81	82	83	84	85
157½	I					86	87	88	89	90	91	92	93	94	95	96
180	J				97	98	99	100	101	102	103	104	105	106	107	108
202½	K					109	110	111	112	113	114	115	116	117	118	119
225	L				120	121	122	123	124	125	126	127	128	129	130	131
247½	M					132	133	134	135	136	137	138	139	140	141	142
270	N				143	144	145	146	147	148	149	150	151	152	153	154
292½	O					155	156	157	158	159	160	161	162	163	164	165
315	P				166	167	168	169	170	171	172	173	174	175	176	177
326	Q												178	179	180	181
346	R					182	183	184	185	*186	*187	188	189	190	191	192

TABLE IV. TABULATED DATA PRINT-OUT FORMAT AND CORRELATION BETWEEN TUBE NUMBER, ORIFICE NUMBER, AND ORIFICE LOCATION ON MODEL (CONCLUDED)

SIDE-MOUNTED ET (T_2 CONFIGURATION)

*inoperable orifice

CIRCUM. STA θ(deg.)	CIRCUM. ROW	LONG. STA. No.	LONG. STA. X (in.)	X/L	0.055	0.108	0.162	0.216	0.322	0.518	0.610	0.735	0.860	0.892	0.923	0.954
					0.305	0.605	0.905	1.205	1.800	2.900	3.410	4.110	4.810	4.985	5.160	5.335
					1	2	3	4	5	6	7	8	9	10	11	12
0	A				1	2	3	4	5	*6	*7	8	9	10	11	12
14	B					13	14	15	16	*17	*18	19	20	21	22	23
24	C												24	25	26	27
45	D				28	29	30	31	32	33	34	35	36	37	38	39
67½	E					40	41	42	43	44	45	46	47	48	49	50
90	F				51	52	53	54	55	56	57	58	59	60	61	62
112½	G					63	64	65	66	67	68	69	70	71	72	73
135	H				74	75	76	77	78	79	80	81	82	83	84	85
157½	I					86	87	88	89	90	91	92	93	94	95	96
180	J				97	98	99	100	101	102	103	104	105	106	107	108
202½	K					109	110	111	112	113	114	115	116	117	118	119
225	L				120	121	122	123	124	125	126	127	128	129	130	131
247½	M					132	133	134	135	136	137	138	139	140	141	142
270	N				143	144	145	146	147	148	149	150	151	152	153	154
292½	O					155	156	157	158	159	160	161	162	163	164	165
315	P				166	167	168	169	170	171	172	173	174	175	176	177
326	Q												178	179	180	181
346	R					182	183	184	185	*186	*187	188	189	190	191	192

TABLE V. TABULATED DATA PRINT-OUT FORMAT AND CORRELATION BETWEEN TUBE NUMBER, ORIFICE NUMBER, AND ORIFICE LOCATION ON MODEL

*inoperable orifice

TAIL-MOUNTED ET (T_1 CONFIGURATION)

RADIAL LOCATION θ (deg.)	RADIAL ROW NO.	LONG. STA. NO.	LONG. STA. X (in.)	X/ℓB	0.055	0.108	0.162	0.216	0.322	0.518	0.610	0.735	0.860	0.892	0.923	0.954
					0.305	0.605	0.905	1.205	1.800	2.900	3.410	4.110	4.810	4.985	5.160	5.335
					1	2	3	4	5	6	7	8	9	10	11	12
0	A				1	2	3	4	5	6	7	8	9	10	11	12
14	B					13	14	15	16	17	18	19	20	21	22	23
24	C												24	25	26	27
45	D				28	29	30	31	32	33	34	35	36	37	38	39
67½	E					40	41	42	43	44	45	46	47	48	49	50
90	F				51	52	53	54	*55	56	57	58	59	60	61	62
112½	G					63	64	65	66	67	68	69	70	71	72	73
135	H				74	75	76	77	78	79	80	81	*82	83	84	85
157½	I					86	87	88	89	90	91	92	93	94	95	96
180	J				97	98	99	100	101	102	103	104	105	106	107	108
202½	K					109	110	111	112	113	114	115	116	117	118	119
225	L				120	121	122	123	124	125	126	127	128	129	130	131
247½	M					132	133	134	135	136	137	138	139	140	141	142
270	N				143	144	145	146	*147	148	149	150	151	152	153	154
292½	O					155	156	157	158	159	160	161	162	163	164	165
315	P				166	167	168	169	170	171	172	173	174	175	176	177
326	Q												178	179	180	181
346	R					182	183	184	185	186	187	188	189	190	191	192

TABLE V. TABULATED DATA PRINT-OUT FORMAT AND CORRELATION BETWEEN TUBE NUMBER, ORIFICE NUMBER, AND ORIFICE LOCATION ON MODEL (CONCLUDED)

TAIL-MOUNTED ET (T_1 CONFIGURATION)

*inoperable orifice

CIRCUM. STA θ (deg.)	CIRCUM. ROW	LONG. STA. NO.	LONG. STA. X (in.) / X/L	0.055 / 0.305	0.108 / 0.605	0.162 / 0.905	0.216 / 1.205	0.322 / 1.800	0.518 / 2.900	0.610 / 3.410	0.735 / 4.110	0.860 / 4.810	0.892 / 4.985	0.923 / 5.160	0.954 / 5.335
				1	2	3	4	5	6	7	8	9	10	11	12
0	A			1	2	3	4	5	6	7	8	9	10	11	12
14	B			X	13	14	15	16	17	18	19	20	21	22	23
24	C			X	X	X	X	X	X	X	X	24	25	26	27
45	D			28	29	30	31	32	33	34	35	36	37	38	39
67½	E			X	40	41	42	43	44	45	46	47	48	49	50
90	F			51	52	53	54	*55	56	57	58	59	60	61	62
112½	G			X	63	64	65	66	67	68	69	70	71	72	73
135	H			74	75	76	77	78	79	80	81	*82	83	84	85
157½	I			X	86	87	88	89	90	91	92	93	94	95	96
180	J			97	98	99	100	101	102	103	104	105	106	107	108
202½	K			X	109	110	111	112	113	114	115	116	117	118	119
225	L			120	121	122	123	124	125	126	127	128	129	130	131
247½	M			X	132	133	134	135	136	137	138	139	140	141	142
270	N			143	144	145	146	*147	148	149	150	151	152	153	154
292½	O			X	155	156	157	158	159	160	161	162	163	164	165
315	P			166	167	168	169	170	171	172	173	174	175	176	177
326	Q			X	X	X	X	X	X	X	X	178	179	180	181
346	R			X	182	183	184	185	186	187	188	189	190	191	192

Table VI.

0.003-SCALE 324-INCH ET REFERENCE DIMENSIONS

DIMENSION	FULL SCALE	MODEL SCALE
Reference Area, S_{ref} (cross-sectional area of ET)	572.555 FT^2	0.742 $IN.^2$
Reference Length, ℓ_{ref} (ET diameter)	324 IN.	0.972 IN.
Reference Span, b_{ref} (ET diameter)	324 IN.	0.972 IN.
Moment Reference Point, MRP (dry weight c.g.)		
XMRP (from nose)	1086.4 IN.	3.259 IN.
YMRP	0	0
ZMRP (model centerline)	400 IN.	1.2 IN.
Base Area, A_b (cross-sectional area of ET)	572.555 FT^2	0.742 $IN.^2$



FIGURE 1. MISSILE AXIS SYSTEMS



ALL DIMENSIONS IN INCHES MODEL SCALE

a. GENERAL ARRANGEMENT OF MSFC MODEL NO. 460, CONFIGURATION T_1 EXTERNAL TANK WITH PROTUBERANCES

Figure 2. MODEL SKETCHES



NOTE: ○ Denotes longitudinal and radial location of orifices. (192 total, though some may be missing due to sting cavities or protuberances.

ALL SECTIONS LOOKING AFT



STATION 1



STATIONS 2 THRU 8



STATIONS 9 THRU 12

b. EXTERNAL TANK MODEL PRESSURE ORIFICE LOCATIONS

Figure 2. CONCLUDED



EXTERNAL TANK MODEL NO. 460, CONFIGURATION T_1 TAIL-MOUNTED WITH PROTUBERANCES

Figure 3. MODEL PHOTOGRAPHS



b. EXTERNAL TANK MODEL NO. 460, CONFIGURATION T_2 SIDE-MOUNTED WITHOUT PROTUBERANCES

Figure 2. CONCLUDED

DATA FIGURES

VOLUME 1--Pages 1-720
VOLUME 2--Pages 721-1200
VOLUME 3--Pages 1201-2000
VOLUME 4--Pages 2001-2740

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX01)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	.000
◇	-.280				
△	3.790				
▷	7.860				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX06)

SYMBOL	ALPHA
○	12.570
□	16.660
◇	20.740
△	24.850
▽	28.950

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX11)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	90.000
◇	-.280				
△	3.790				
▷	7.840				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX16)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.550	BETA	.000	OFFSET	20.000
□	16.660	MOUNT	1.000	PHI	90.000
◇	20.740				
△	24.850				
▷	28.930				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX31)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	180.000
◇	-.280				
△	3.770				
▽	7.820				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX36)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.570	BETA	.000	OFFSET	20.000
□	16.660	MOUNT	1.000	PHI	180.000
◇	20.740				
△	24.870				
◺	28.930				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

PAGE 2000

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (A1AX51)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.350	MOUNT	1.000	PHI	270.000
◇	-.280				
△	3.770				
▽	7.860				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.95



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A001)

SYMBOL	ALPHA
○	-8.360
□	-4.330
◇	-.280
△	3.770
▷	7.800

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A006)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	.000
◇	20.610				
△	24.660				
▷	28.700				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

PAGE 2010

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A081)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	45.000
◇	-.280				
△	3.770				
◺	7.800				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. X
YMRP	.0000	IN. Y
ZMRP	400.0000	IN. Z
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A086)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	45.000
◇	20.610				
△	24.660				
▷	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A011)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	90.000
◇	-.280				
△	3.770				
▷	7.800				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A016)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	90.000
◇	20.610				
△	24.660				
▽	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR020.0 EXTERNAL TANK, T1 (N1A021)

SYMBOL	ALPHA
○	-8.360
□	-4.330
◇	-.280
△	3.720
▷	7.710

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	135.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A026)

SYMBOL	ALPHA
○	12.520
□	16.540
◇	20.610
△	24.660
▷	28.700

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	135.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A031)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	180.000
◇	-.280				
△	3.770				
▽	7.800				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	
YMRP	.0000	
ZMRP	400.0000	
SCALE	.0000	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A036)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.540	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	180.000
◇	20.610				
△	24.660				
▷	28.700				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A041)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	225.000
◇	-.280				
△	3.770				
▽	7.800				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN.
YMRP	.0000	IN.
ZMRP	400.0000	IN.
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A046)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	225.000
◇	20.610				
△	24.660				
▷	28.720				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A051)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	270.000
◇	-.280				
△	3.790				
▽	7.900				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A056)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.540	MOUNT	1.000	PHI	270.000
◇	20.610				
△	24.680				
▱	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A091)

SYMBOL	ALPHA	PARAMETRIC VALUES			
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	315.000
◇	-.280				
△	3.770				
▷	7.800				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (N1A096)

SYMBOL	ALPHA
○	12.500
△	16.560
◇	20.610
□	24.660
▽	28.700

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	315.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX06)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.470	MOUNT	1.000	PHI	.000
◇	20.490				
△	24.510				
▷	28.540				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES
(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX86)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.470	MOUNT	1.000	PHI	45.000
◇	20.490				
△	24.510				
◺	28.540				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX11)

SYMBOL	ALPHA
○	-8.310
□	-4.290
◇	-.280
△	3.730
▽	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	90.000

REFERENCE INFORMATION

SREF	572.5550
LREF	324.0000
BREF	324.0000
XMRP	1086.4000
YMRP	.0000
ZMRP	400.0000
SCALE	.0030



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX16)

SYMBOL	ALPHA
○	12.450
□	16.470
◇	20.490
△	24.510
▷	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	90.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX21)

SYMBOL	ALPHA
○	-8.310
□	-4.290
◇	-.280
△	3.730
▽	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	135.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

SYMBOL	ALPHA		PARAMETRI[illegible]		
○	12.450	BETA	.00[illegible]	[illegible]	20.000
□	16.450	MOUNT	1.000	PHI	135.000
◇	20.490				
△	24.510				
▽	28.510				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX31)

SYMBOL	ALPHA
○	-8.290
□	-4.290
◇	-.280
△	3.730
▷	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	180.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX36)

SYMBOL	ALPHA
○	12.450
□	16.470
◇	20.490
△	24.510
▷	28.560

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	180.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX41)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	225.000
◇	-.280				
△	3.730				
▷	7.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX46)

SYMBOL	ALPHA
○	12.450
□	16.450
◇	20.490
△	24.510
▷	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	225.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX51)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	270.000
◇	-.280				
△	3.750				
▷	7.750				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX56)

SYMBOL	ALPHA
○	12.450
□	16.450
◇	20.490
△	24.530
▽	28.540

PARAMETRIC VALUES

		BETA	.000	OFFSET	20.000
		MOUNT	1.000	PHI	270.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	
BREF	324.0000	
XMRP	1086.4000	
YMRP	.0000	
ZMRP	400.0000	
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX91)

SYMBOL	ALPHA
○	-8.310
□	-4.290
◇	-.280
△	3.730
▽	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	315.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (M1AX96)

SYMBOL	ALPHA
○	12.430
□	16.470
◇	20.490
△	24.510
▽	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000	
MOUNT	1.000	PHI	315.000	

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 6 LOCAL NORMAL FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX01)

SYMBOL	ALPHA
○	-8.380
□	-4.330
◇	-.280
△	3.790
▽	7.860

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	
YMRP	.0000	
ZMRP	400.0000	
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX06)

SYMBOL	ALPHA	PARAMETRIC VALUES			
○	12.570	BETA	.000	OFFSET	20.000
□	16.660	MOUNT	1.000	PHI	.000
◇	20.740				
△	24.850				
▽	28.950				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX11)

SYMBOL	ALPHA
○	-8.380
□	-4.330
◇	-.280
△	3.790
▽	7.840

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	90.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX16)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.550	BETA	.000	OFFSET	20.000
□	16.660	MOUNT	1.000	PHI	90.000
◇	20.740				
△	24.850				
▽	28.930				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX31)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.380	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	180.000
◇	-.280				
△	3.770				
▷	7.820				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX36)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.570	BETA	.000	OFFSET	20.000
□	16.660	MOUNT	1.000	PHI	180.000
◇	20.740				
△	24.870				
▱	28.930				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX51)

SYMBOL	ALPHA
○	-8.380
□	-4.350
◇	-.280
△	3.770
▷	7.860

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	270.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.95

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (B1AX56)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.570	BETA	.000	OFFSET	20.000
□	16.640	MOUNT	1.000	PHI	270.000
◇	20.740				
△	24.850				
▷	28.930				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 1.97

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A001)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	.000
◇	-.280				
△	3.770				
▽	7.800				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A006)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	.000
◇	20.610				
△	24.660				
▽	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A081)

SYMBOL	ALPHA
○	-8.380
□	-4.330
◇	-.280
△	3.770
▷	7.800

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	45.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A086)

SYMBOL	ALPHA
○	12.520
□	16.560
◇	20.610
△	24.660
▷	28.700

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	45.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A011)

SYMBOL	ALPHA
○	-8.360
□	-4.330
◇	-.280
△	3.770
◸	7.800

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	90.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A016)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	90.000
◇	20.610				
△	24.660				
▷	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01AC21)

SYMBOL	ALPHA
○	-8.360
□	-4.330
◇	-.280
△	3.720
▽	7.710

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	135.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	XT
YMRP	.0000	YT
ZMRP	400.0000	ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A026)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.540	MOUNT	1.000	PHI	135.000
◇	20.610				
△	24.660				
▷	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A031)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	180.000
◇	-.280				
△	3.770				
▽	7.800				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A036)

SYMBOL	ALPHA
○	12.540
□	16.560
◇	20.610
△	24.660
▷	28.700

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	180.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A041)

SYMBOL	ALPHA
▷	8.360
△	-4.330
◇	-.280
□	3.770
○	7.800

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	225.000

REFERENCE INFORMATION

SREF	572.5550
LREF	324.0000
BREF	324.0000
XMRP	1086.4000
YMRP	.0000
ZMRP	400.0000
SCALE	.0030



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01AD46)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	225.000
◇	20.610				
△	24.660				
▱	28.720				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01AD51)

SYMBOL	ALPHA
○	-8.360
□	-4.330
◇	-.280
△	3.790
▽	7.800

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	270.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A056)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.520	BETA	.000	OFFSET	20.000
□	16.540	MOUNT	1.000	PHI	270.000
◇	20.610				
△	24.680				
▽	28.700				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A091)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.360	BETA	.000	OFFSET	.000
□	-4.330	MOUNT	1.000	PHI	315.000
◇	-.280				
△	3.770				
▷	7.800				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (01A096)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.500	BETA	.000	OFFSET	20.000
□	16.560	MOUNT	1.000	PHI	315.000
◇	20.610				
△	24.660				
◁	28.700				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A001)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	.000
◇	-.280				
△	3.730				
▷	7.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A006)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.470	MOUNT	1.000	PHI	.000
◇	20.490				
▷	24.510				
▽	28.540				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A081)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.330	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	45.000
◇	-.280				
△	3.730				
▽	7.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A086)

SYMBOL	ALPHA
○	12.450
□	16.470
◇	20.490
△	24.510
▽	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	45.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A011)

SYMBOL	ALPHA
○	-8.310
□	-4.290
◇	-.280
△	3.730
▽	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOONT	1.000	PHI	90.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A016)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.470	MOUNT	1.000	PHI	90.000
◇	20.490				
△	24.510				
▷	28.540				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A021)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	135.000
◇	-.280				
△	3.730				
▽	7.750				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A026)

SYMBOL	ALPHA
○	12.450
□	16.450
◇	20.490
△	24.510
▽	28.510

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	135.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A031)

SYMBOL	ALPHA
○	-8.290
□	-4.290
◇	-.280
△	3.730
▽	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000
MOUNT	1.000	PHI	180.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A036)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.470	MOUNT	1.000	PHI	180.000
◇	20.490				
△	24.510				
▷	28.560				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A041)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
◇	-4.290	MOUNT	1.000	PHI	225.000
□	-.280				
△	3.730				
▽	7.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A046)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	12.450	BETA	.000	OFFSET	20.000
□	16.450	MOUNT	1.000	PHI	225.000
◇	20.490				
△	24.510				
◺	28.540				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A051)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	-8.310	BETA	.000	OFFSET	.000
□	-4.290	MOUNT	1.000	PHI	270.000
◇	-.280				
△	3.750				
▷	7.750				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A056)

SYMBOL	ALPHA
○	12.450
□	16.450
◇	20.490
△	24.530
▷	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	270.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A091)

SYMBOL	ALPHA
○	-8.310
□	-4.290
◇	-.280
△	3.730
▷	7.750

PARAMETRIC VALUES

BETA	.000	OFFSET	.000	
MOUNT	1.000	PHI	315.000	

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1 (Q1A096)

SYMBOL	ALPHA
○	12.430
□	16.470
◇	20.490
△	24.510
▷	28.540

PARAMETRIC VALUES

BETA	.000	OFFSET	20.000
MOUNT	1.000	PHI	315.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 7 LOCAL SIDE FORCE DISTRIBUTION - T1 WITH PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	.000	51.110	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	45.000	51.110	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	112.500	51.110	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	180.000	51.110	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	247.500	51.110	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	315.000	51.110	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	.000	54.110	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	45.000	54.110	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	112.500	54.110	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	180.000	54.110	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	247.500	54.110	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	315.000	54.110	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	.000	57.110	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	45.000	57.110	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	112.500	57.110	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	180.000	57.110	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	50.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	247.500	57.110	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	315.000	57.110	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	.000	60.130	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	45.000	60.130	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	112.500	60.130	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	180.000	60.130	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	247.500	60.130	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	315.000	60.130	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	.000	63.130	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	45.000	63.130	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	112.500	63.130	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	180.000	63.130	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	247.500	63.130	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	315.000	63.130	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	.000	66.130	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	45.000	66.130	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	112.500	66.130	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	180.000	66.130	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	247.500	66.130	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	315.000	66.130	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.130	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.130	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.130	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.130	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.130	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	315.000	69.130	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.960	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.960	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.960	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.960	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.960	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	315.000	69.960	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	.000	71.880	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
◇	45.000	71.880	1.960
□	67.500		
○	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	112.500	71.880	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	180.000	71.880	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	247.500	71.880	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	315.000	71.880	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	.000	24.860	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	P-I	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	45.000	74.860	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	112.500	74.860	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	180.000	74.860	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	247.500	74.850	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	315.000	74.860	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	.000	77.860	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	45.000	77.860	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	112.500	77.860	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	180.000	77.860	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	247.500	77.860	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	315.000	77.860	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	.000	79.930	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	45.000	79.930	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	112.500	79.930	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	180.000	79.930	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	247.500	79.930	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	315.000	79.930	1.370
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	.000	81.830	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	45.000	81.830	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	112.500	81.830	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1AD73)

SYMBOL	THETA	ALPHA	MACH
○	180.000	81.830	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	247.500	81.830	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	315.000	81.830	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	.000	84.830	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	45.000	84.830	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	112.500	84.830	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	180.000	84.830	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	247.500	84.830	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	315.000	84.830	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	.000	87.830	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	45.000	87.830	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	112.500	87.830	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	180.000	87.830	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000

FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	247.500	87.830	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	315.000	87.830	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 598 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	.000	89.830	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR6200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
◇□○	45.000	89.830	1.960
	67.500		
	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	112.500	89.830	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	180.000	89.830	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	247.500	89.830	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	315.000	89.830	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	.000	91.830	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	45.000	91.830	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	112.500	91.830	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	180.000	91.830	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	247.500	91.830	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	315.000	91.830	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	.000	94.850	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	45.000	94.850	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	112.500	94.850	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	180.000	94.850	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	247.500	54.850	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	315.000	94.850	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	.000	97.850	1.970
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	45.000	97.850	1.970
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	112.500	97.850	1.970
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	180.000	97.850	1.970
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	247.500	97.850	1.970
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	315.000	97.850	1.970
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	.000	99.730	1.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	45.000	99.730	1.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	112.500	99.730	1.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	180.000	99.730	1.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	247.500	99.730	1.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	315.000	99.730	1.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	.000	51.000	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	50.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
◇	45.000	51.000	3.480
□	67.500		
○	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	112.500	51.000	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	180.000	51.000	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	247.500	51.000	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	315.000	51.000	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
◇	.000	54.130	3.480
	14.000		
	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	45.000	54.130	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 586 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	112.500	54.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	180.000	54.130	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	247.500	54.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	315.000	54.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	.000	57.130	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	112.500	57.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	180.000	57.130	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	247.500	57.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	315.000	57.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	.000	60.130	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	45.000	60.130	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	112.500	60.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	180.000	60.130	3.460
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	247.500	60.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA 2F) MCR0200 EXTERNAL TANK. T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	315.000	60.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	.000	63.130	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	45.000	63.130	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	112.500	63.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	180.000	63.130	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	247.500	63.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	315.000	63.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK,. T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	.000	66.130	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	45.000	66.130	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	112.500	66.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	180.000	66.130	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	247.500	66.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	315.000	66.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.130	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 5' [illegible] (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.130	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.130	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.130	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.130	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	315.000	69.130	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.980	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.980	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.980	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.980	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.980	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	315.000	69.990	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	.000	71.880	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	45.000	71.880	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	112.500	71.880	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	180.000	71.880	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	247.500	71.880	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 586 (TA-2F) MCR3200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
◇	315.000	71.880	3.480
□	326.000		
○	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	.000	74.860	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	45.000	74.860	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	112.500	74.860	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	180.000	74.860	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	247.500	74.860	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	315.000	74.860	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	.000	77.880	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	45.000	77.880	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	112.500	77.880	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	180.000	77.880	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	247.500	77.880	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	315.000	77.880	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	.000	79.930	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	45.000	79.930	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	112.500	79.930	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	180.000	79.930	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	247.500	79.930	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	315.000	79.930	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	.000	81.030	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	45.000	81.830	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	112.500	81.830	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (IA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	180.000	81.830	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	247.500	81.830	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	315.000	81.830	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	.000	84.830	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	45.000	84.830	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	112.500	84.830	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	180.000	84.830	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	247.500	84.830	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	315.000	84.830	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	.000	87.830	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	45.000	87.830	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	112.500	87.830	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	180.000	87.830	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	247.500	87.830	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	315.000	87.830	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	.000	89.830	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	45.000	89.830	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	112.500	89.830	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	180.000	89.830	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	247.500	89.830	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	315.000	89.830	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	45.000	91.850	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	112.500	91.850	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	180.000	91.850	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	247.500	91.850	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR@200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	315.000	91.850	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	.000	94.850	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	45.000	94.850	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	112.500	94.850	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	180.000	94.850	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	247.500	94.850	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	315.000	94.850	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	.000	97.830	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	45.000	97.830	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	112.500	97.830	3.480
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	180.000	97.830	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MCUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	247.500	97.830	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	315.000	97.830	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 595 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	.000	95.750	3.480
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	45.000	99.750	3.480
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	112.500	99.750	3.483
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	180.000	99.750	3.480
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	247.500	99.750	3.480
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	315.000	99.750	3.480
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	7.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	.000	51.000	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	45.000	51.000	4.960 .
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	112.500	51.000	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	180.000	51.000	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	247.500	51.000	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	THETA	ALPHA	MACH
○	315.000	51.000	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	.000	54.130	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	45.000	54.130	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	112.500	54.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	180.000	54.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	247.500	54.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	THETA	ALPHA	MACH
○	315.000	54.130	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	.000	57.130	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	45.000	57.130	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 76 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	112.500	57.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	180.000	57.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	247.500	57.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	THETA	ALPHA	MACH
○	315.000	57.130	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	.000	60.130	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	45.000	60.130	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	112.500	60.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	180.000	60.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES .

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	247.500	60.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	THETA	ALPHA	MACH
○	315.000	60.130	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	.000	63.130	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	112.500	63.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	180.000	63.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	THETA	ALPHA	MACH
○	247.500	63.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1AC65)

SYMBOL	THETA	ALPHA	MACH
○	315.000	63.130	4.950
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	50.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	.000	66.130	4.950
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	45.000	66.130	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	112.500	66.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	180.000	65.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	247.500	66.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	THETA	ALPHA	MACH
○	315.000	66.130	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.130	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.130	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.130	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.130	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.130	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	THETA	ALPHA	MACH
□	315.000	69.130	4.960
○	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	.000	69.980	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	45.000	69.980	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	112.500	69.980	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	180.000	69.980	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	247.500	69.980	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	THETA	ALPHA	MACH
○	315.000	69.980	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	.000	71.880	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	45.000	71.880	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 586 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	112.500	71.860	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	180.000	71.880	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	247.500	71.880	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	THETA	ALPHA	MACH
○	315.000	71.880	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	.000	74.860	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	45.000	74.860	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	112.500	74.860	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	180.000	74.860	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	THETA	ALPHA	MACH
○	315.000	74.860	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MCUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC SSE (TA-2F) 40P320C EXTERNAL TANK, T2 (P1A071)

SYMBOL	BETA	ALPHA	MACH
◇	.000	17.950	4.950
	14.000		
	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	45.000	77.880	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	112.500	77.880	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	180.000	77.880	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	247.500	77.660	4.930
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	THETA	ALPHA	MACH
○	315.000	77.880	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	.000	79.930	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	45.000	79.930	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	112.500	79.930	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	180.000	79.930	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	247.500	75.930	4.560
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	THETA	ALPHA	MACH
○	315.000	79.930	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	.000	81.830	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	45.000	81.830	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	112.500	81.830	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	180.000	81.830	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	247.500	81.830	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	THETA	ALPHA	MACH
○	315.000	81.830	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	.000	84.830	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	45.000	84.830	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 598 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	112.500	84.030	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	180.000	84.830	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	247.500	84.830	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	THETA	ALPHA	MACH
○	315.000	84.830	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	.000	87.830	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	45.000	87.830	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	112.500	87.830	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	180.000	87.830	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	247.500	87.830	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	THETA	ALPHA	MACH
○	315.000	87.830	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	.000	89.830	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	45.000	89.830	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	112.500	89.830	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	180.000	89.830	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 536 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	PHI/ETA	ALPHA	MACH
○	247.500	83.830	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	THETA	ALPHA	MACH
○	315.000	89.830	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	.000	91.850	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	45.000	91.850	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	112.500	91.850	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	180.000	91.850	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	247.500	91.850	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	THETA	ALPHA	MACH
○	315.000	91.850	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	.000	94.850	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	45.000	94.850	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	112.500	94.850	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	180.000	94.850	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000

FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	247.500	94.850	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	THETA	ALPHA	MACH
○	315.000	94.850	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	.000	97.830	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	45.000	97.830	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	112.500	97.830	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 5[illegible] (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	180.000	97.830	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	247.500	97.830	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A079)

SYMBOL	THETA	ALPHA	MACH
○	315.000	97.830	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	.000	99.750	4.960
□	14.000		
◇	24.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	45.000	99.750	4.960
□	67.500		
◇	90.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	112.500	99.750	4.960
□	135.000		
◇	157.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	180.000	99.750	4.960
□	202.500		
◇	225.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	247.500	99.750	4.960
□	270.000		
◇	292.500		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	THETA	ALPHA	MACH
○	315.000	99.750	4.960
□	326.000		
◇	346.000		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 8 PRESSURE DISTRIBUTION OVER ET - T2 MODEL WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.055	-51.110	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.216	51.110	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.610	51.110	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.892	51.110	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.055	54.110	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK- T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.216	54.110	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.610	54.110	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.892	54.110	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.055	57.110	1.960
□	.168		
◇	.169		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.216	57.110	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.610	57.110	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.892	57.110	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.055	60.130	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.216	60.130	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.610	60.130	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.892	60.130	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.055	63.130	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.216	74.860	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.610	63.130	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.892	63.130	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.055	66.130	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.216	66.130	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.610	66.130	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.892	66.130	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.055	69.130	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.130	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.130	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.892	69.130	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.055	69.960	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.960	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.960	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.892	69.960	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

—	BETA	.000	OFFSET	80.000
	MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.055	71.880	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.216	71.880	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.610	71.880	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.892	71.880	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.055	74.860	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.216	74.860	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.610	74.860	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.892	74.860	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.055	77.860	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.216	77.860	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.610	77.860	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.892	77.860	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.055	79.930	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.216	79.930	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.610	79.930	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.892	79.930	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.055	81.830	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.216	81.830	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.610	81.830	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.892	81.830	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.055	84.830	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.216	84.830	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.610	84.830	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.892	84.830	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.055	87.830	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.216	87.830	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.610	87.830	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.892	87.830	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.055	89.830	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.216	89.830	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.610	89.830	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.892	89.830	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.055	91.830	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.216	91.830	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.610	91.830	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.892	91.830	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.055	94.850	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.216	94.850	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.610	94.850	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.892	94.850	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.055	97.850	1.970
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.216	97.850	1.970
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.610	97.850	1.970
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.892	97.850	1.970
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.055	99.730	1.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.216	99.730	1.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2. (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.610	99.730	1.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T? WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.892	99.730	1.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.055	51.000	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.216	51.000	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.610	51.000	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.892	51.000	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.055	54.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.216	54.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.610	54.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.892	54.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.055	57.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.216	57.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.610	57.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.892	57.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.055	60.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.216	60.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.610	60.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.892	60.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.055	63.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.216	63.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.610	63.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.892	63.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.055	66.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.216	66.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.610	66.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.892	66.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.055	69.130	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.130	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.130	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.892	69.130	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.055	69.980	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.980	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.980	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.892	69.980	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.055	71.880	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.610	71.860	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.892	71.880	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.055	74.860	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.216	74.860	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.610	74.860	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.892	74.860	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.055	77.880	3.480
□	.109		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.216	77.880	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.610	77.880	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.892	77.880	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.055	79.930	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.216	79.930	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.610	79.930	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.892	79.930	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.055	81.830	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.216	81.830	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.610	81.830	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.892	81.830	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.216	84.830	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.610	84.830	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.892	84.830	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.055	87.830	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.216	87.830	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.610	87.830	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.892	87.830	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.055	89.830	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.610	89.830	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.892	89.830	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.055	91.850	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.216	91.850	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.610	91.850	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.892	91.850	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.055	94.850	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.216	94.850	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.610	94.050	3.480
□	.735		
◇	.060		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.892	94.850	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.055	97.830	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.216	97.830	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.610	97.830	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.892	97.830	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.055	99.750	3.480
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.216	99.750	3.480
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.610	99.750	3.480
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.892	99.750	3.480
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.055	51.000	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.216	51.000	4.960
□	.322		
◇	.516		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.610	51.000	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A061)

SYMBOL	X/LB	ALPHA	MACH
○	.892	51.000	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.055	54.130	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.216	54.130	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.610	54.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A062)

SYMBOL	X/LB	ALPHA	MACH
○	.892	54.130	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.055	57.130	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.216	57.130	4.960.
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.610	57.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A063)

SYMBOL	X/LB	ALPHA	MACH
○	.892	57.130	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.055	60.130	4.960
□	.109		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F), MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.216	60.130	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.610	60.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A064)

SYMBOL	X/LB	ALPHA	MACH
○	.892	60.130	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.055	63.130	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.216	63.130	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.610	63.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A065)

SYMBOL	X/LB	ALPHA	MACH
○	.892	63.130	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.055	66.130	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.215	66.130	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A066)

SYMBOL	X/LB	ALPHA	MACH
○	.610	66.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.055	69.130	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.130	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.130	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A067)

SYMBOL	X/LB	ALPHA	MACH
○	.892	69.130	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	60.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.055	68.980	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MCUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.216	69.980	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A068)

SYMBOL	X/LB	ALPHA	MACH
○	.610	69.980	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.055	71.880	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.216	71.860	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.610	71.880	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A069)

SYMBOL	X/LB	ALPHA	MACH
○	.892	71.880	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	00.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.055	74.860	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.216	74.860	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.610	74.860	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A070)

SYMBOL	X/LB	ALPHA	MACH
○	.892	74.860	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.055	77.880	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.216	77.880	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.610	77.880	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A071)

SYMBOL	X/LB	ALPHA	MACH
○	.892	77.880	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	80.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.055	79.930	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.216	79.930	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A072)

SYMBOL	X/LB	ALPHA	MACH
○	.610	79.930	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (PIR0725)

SYMBOL	X/LB	ALPHA	MACH
○	.892	79.930	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.055	81.830	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.610	81.830	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A073)

SYMBOL	X/LB	ALPHA	MACH
○	.892	81.830	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.055	84.830	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.216	84.830	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.610	84.830	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A074)

SYMBOL	X/LB	ALPHA	MACH
○	.892	84.830	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.055	87.830	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.216	87.830	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.610	87.830	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A075)

SYMBOL	X/LB	ALPHA	MACH
○	.892	87.830	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.055	89.830	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.216	89.830	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.610	89.830	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A076)

SYMBOL	X/LB	ALPHA	MACH
○	.892	89.830	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.055	91.850	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.216	91.850	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.610	91.850	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (P1A077)

SYMBOL	X/LB	ALPHA	MACH
○	.892	91.850	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.055	94.850	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.216	94.850	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.610	94.850	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A078)

SYMBOL	X/LB	ALPHA	MACH
○	.892	34.850	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.055	97.830	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.216	97.830	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.610	97.830	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A079)

SYMBOL	X/LB	ALPHA	MACH
○	.892	97.830	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.055	99.750	4.960
□	.108		
◇	.162		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.216	99.750	4.960
□	.322		
◇	.518		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.610	99.750	4.960
□	.735		
◇	.860		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (P1A080)

SYMBOL	X/LB	ALPHA	MACH
○	.892	99.750	4.960
□	.923		
◇	.954		

PARAMETRIC VALUES

BETA	.000	OFFSET	90.000
MOUNT	2.000	PHI	.000



FIG. 9 CIRCUMFERENTIAL PRESSURE DISTRIBUTION OVER ET - T2 WITHOUT PROTUBERANCES

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (A1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.110	BETA	.000	MOUNT	2.000
□	54.110	PHI	.000		
◇	57.110				
△	60.130				
◺	63.130				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (A1AX61)

SYMBOL	ALPHA	PARAMETRIC VALUES			
○	66.130	BETA	.000	MOUNT	2.000
□	69.130	PHI	.000		
◇	69.960				
△	71.880				
▷	74.860				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (A1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.860	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	84.830				
▷	87.830				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (A1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.830	PHI	.000		
◇	94.850				
△	97.850				
◺	99.730				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (N1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.000	BETA	.000	MOUNT	2.000
□	54.130	PHI	.000		
◇	57.130				
△	60.130				
▷	63.130				

REFERENCE INFORMATION

SREF	572.5530	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (N1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	66.130	BETA	.000	MOUNT	2.000
□	69.130	PHI	.000		
◇	69.980				
△	71.880				
▷	74.860				

REFERENCE INFORMATION

SREF	572.3550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (N1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.880	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	84.830				
▷	87.830				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (N1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.850	PHI	.000		
◇	94.850				
△	97.830				
▱	99.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (M1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.000	BETA	.000	MOUNT	2.000
□	54.130	PHI	.000		
◇	57.130				
△	60.130				
▷	63.130				

REFERENCE INFORMATION		
SREF	572.5350	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (M1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	66.130	BETA	.000	MOUNT	2.000
□	69.130	PHI	.000		
◇	69.980				
△	71.880				
◺	74.860				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (M1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.880	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	64.830				
▽	87.830				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (M1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.850	PHI	.000		
◇	94.850				
△	97.830				
◺	99.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 10 LOCAL NORMAL FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (B1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.110	BETA	.000	MOUNT	2.000
□	54.110	PHI	.000		
◇	57.110				
△	60.130				
▷	63.130				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (B1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	66.130	BETA	.000	MOUNT	2.000
□	69.130	PHI	.000		
◇	69.960				
△	71.880				
▷	74.860				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (B1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.860	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	84.830				
◁	87.830				

REFERENCE INFORMATION

SREF	572.5530	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (B1AX61)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.830	PHI	.000		
◇	94.850				
△	97.850				
◿	99.730				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 1.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (01A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.000	BETA	.000	MOUNT	2.000
□	54.130	PHI	.000		
◇	57.130				
△	60.130				
▷	63.130				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (01A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	66.130	BETA	.000	MOUNT	2.000
□	69.130	PHI	.000		
◇	69.980				
△	71.880				
◺	74.860				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (01A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.880	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	84.830				
▷	87.830				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (01A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.850	PHI	.000		
◇	94.850				
△	97.830				
▷	99.750				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 3.48

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (Q1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	51.000	BETA	.000	MOUNT	2.000
□	54.130	PHI	.000		
◇	57.130				
△	60.130				
▽	63.130				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (Q1A061)

SYMBOL	ALPHA
○	66.130
□	69.130
◇	69.980
△	71.880
▷	74.860

PARAMETRIC VALUES

BETA	.000	MOUNT	2.000	
PHI	.000			

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2 (Q1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	77.880	BETA	.000	MOUNT	2.000
□	79.930	PHI	.000		
◇	81.830				
△	84.830				
▽	87.830				

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2 (Q1A061)

SYMBOL	ALPHA		PARAMETRIC VALUES		
○	89.830	BETA	.000	MOUNT	2.000
□	91.850	PHI	.000		
◇	94.850				
△	97.830				
▷	99.750				

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 11 LOCAL SIDE FORCE DISTRIBUTION - T2 WITHOUT PROTUBERANCES

(A)MACH = 4.96

DATA SET SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	DATA NOT AVAILABLE	.000	45.000
(J1A005)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	DATA NOT AVAILABLE	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	DATA NOT AVAILABLE	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	DATA NOT AVAILABLE	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	DATA NOT AVAILABLE	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION
(J1A007)	○	DATA NOT AVAILABLE
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1
(J1A011)	⊠	DATA NOT AVAILABLE
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2

BETA	PHI
.000	135.000
.000	180.000
.000	225.000
.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	DATA NOT AVAILABLE	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	DATA NOT AVAILABLE	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	DATA NOT AVAILABLE	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	DATA NOT AVAILABLE	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)		MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)		DATA NOT AVAILABLE	.000	315.000
(J1A015)		MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET SYMBOL		CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	DATA NOT AVAILABLE	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	DATA NOT AVAILABLE	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	DATA NOT AVAILABLE	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	372.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET SYMBOL		CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	270.000
(J1A018)	□	DATA NOT AVAILABLE	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 1.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	⋈	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	270.000
(J1A018)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	⊠	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4600	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	45.000
(J1A005)	⊠	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET SYMBOL		CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 3.48

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	⬭	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	▭	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET SYMBOL		CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	⊡	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	⋈	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	135.000
(J1A009)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	180.000
(J1A011)	⊠	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T1	.000	225.000
(J1A015)	△	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK. T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	○	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	□	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A001)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	.000
(J1A003)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	45.000
(J1A005)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	90.000
(J1A015)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A007)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	135.000
(J1A009)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T1	.000	180.000
(J1A011)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	225.000
(J1A015)	MSFC 596 (TA-2F) MCR0200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION

SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96

DATA SET	SYMBOL	CONFIGURATION DESCRIPTION	BETA	PHI
(J1A013)	◇	MSFC 596 (TA-2F) MCR3200 EXTERNAL TANK, T1	.000	270.000
(J1A018)	◇	MSFC 596 (TA-2F) MCR3200 EXTERNAL TANK, T1	.000	315.000
(J1A015)	◇	MSFC 596 (TA-2F) MCR3200 EXTERNAL TANK, T2	.000	.000

REFERENCE INFORMATION		
SREF	572.5550	SQ. FT
LREF	324.0000	INCHES
BREF	324.0000	INCHES
XMRP	1086.4000	IN. XT
YMRP	.0000	IN. YT
ZMRP	400.0000	IN. ZT
SCALE	.0030	



FIG. 12 STABILITY CHARACTERISTICS - WITH AND WITHOUT PROTUBERANCES (T1 - T2)

(A)MACH = 4.96